PRODUCT SPECIFICATION SHEET

Customer Satisfaction Membrane

CSM RO MEMBRANE, The approved *Reverse Osmosis Membrane* in the world.

RE8040-FDⁿ

®

New fouling resistant RO membrane element of low differential pressure with a thick feed spacer for waste water reuse


Product Specifications	Permeate Flow rate :	10,000 GPD (37.9 m ³ /day)	
	Stabilized Salt Rejection :	99.7 %	
	Effective Membrane Area :	380 ft ² (35.3 m ²)	
	 The stated performance is initial data taken after 30 minutes of operation based on the following conditions; 2,000 mg/L NaCl solution at 225 psig (1.5 MPa) applied pressure, 15 % recovery, 77 °F (25 °C) and pH 6.5~7.0. Minimum salt rejection is 99.4%. Permeate Flow rate for individual elements may vary but will be no more than 10 below the value shown. Effective membrane area may vary within 3 %. Thicker Feed spacer (32 mil) is used. All elements are vacuum sealed in a polyethylene bag containing 1.0 % SBS (Sodium bisulfite) solution and packaged individually in a cardboard box. 		
Product	Membrane Type :	Thin-film Composite	
Description	Membrane Material :	PA (Polyamide)	
	Membrane Surface Charge :	Close to Neutral	
	Element Configuration :	Spiral-Wound, FRP wrapping	
Product Dimensions	1. One interconnector (coupler) v	n) n) P wrapping End cap permeate channel C (tube diameter) B (element outer diameter) A (element length) vould be supplied for each membrane element. fit nominal 8.0-inch (203 mm) 1.D. pressure vessel.	
Features	 CSM FDⁿ element provides an excellent way to treat a feed water having relatively high fouling potential due to the remaining colloidal, biological and organic fouling agents even after controlled pretreatment. CSM FDⁿ element has more fouling resistant property than CSM FD CSM FDⁿ element can be used for treating a feed water of high fouling potential due to the presence of heavy colloidal particles. 		

PRODUCT SPECIFICATION SHEET

Customer Satisfaction Membrane

Fouling Resistance Characteristics

R




The flux decline of CSM FRM is only half of that of the general brackish water RO membrane under the condition of zero liquid discharge system.

Conditions for Handling CSM in general

- Customers must keep the element boxes dry at room temperature to prevent them from freezing and damages from heat. If the polyethylene bag is broken, a new protective solution has to be added to the RO membrane element and the element has to be repackaged air-tight to prevent from biological growth.
- Keep elements moist at all times after initial wetting
- Permeate water obtained from first hour of operation should be discarded in order to flush the protective solution in the elements.
- CSM elements should be immersed in a protective solution during storage, shipping or system shutdowns to prevent biological growth and freeze damage. The standard storage solution contains one (1) weight percent sodium bisulfite or sodium metabisulfite (food grade). For short term storage of one week, one (1) weight percent sodium metabisulfite solution is adequate for inhibiting biological growth.
- The customer is fully responsible for the effects of incompatible chemicals on elements. Their use will void the element limited warranty.

Differential Pressure Comparing between Regular element and CSM FD



1. CSM FD shows less differential pressure than the regular elements as shown in the above graph

Woongjin Chemical Co., Ltd. Specification Sheet Rev. 2411112 07/29/08

Application Data

Operating Limits

Max. Pressure drop / Element	15 psi (0.1 MPa)
Max. Pressure drop / 240" vessel	60 psi (0.42 Mpa)
Max. Operating pressure	600 psi (4.14 MPa)
Max. Feed flow rate	66 gpm (15.0 m ³ /hr)
Min. Concentrate flow rate	16 gpm (3.6 m ³ /hr)
 Max. Operating temperature 	113 °F (45 °C)
Operating pH range	3.0 ~ 10.0
CIP pH range	2.0 ~ 11.0
Max. Turbidity	1.0 NTU
Max. SDI (15 min)	5.0
Chlorine concentration	< 0.1 mg/L

Design Guideline for Various Water Source

 Waste water (SDI < 5) 	8 ~ 12 gfd
• Waste water pretreated by UF (SDI < 3)	10 ~ 14 gfd
 Seawater, open intake (SDI < 5) 	7 ~ 10 gfd
 High salinity well water (SDI < 3) 	8 ~ 12 gfd
 Surface water (SDI < 5) 	12 ~ 16 gfd
Surface water (SDL < 2)	12 17 afd

- Surface water (SDI < 3)
 Well water (SDI < 3)
 13 ~ 17 gfd
 13 ~ 17 gfd
- RO/UF permeate (SDI < 1)
 21 ~ 30 gfd

Saturation Limits for Salts

 CaSO₄ 	230 % saturation
 SrSO₄ 	800 % saturation
 BaSO₄ 	6,000 % saturation
 SiO₂ 	100 % saturation

Above values are saturation limit at the tail end of the membrane elements for each sparingly soluble salts with proper scale inhibitor.

CaCO₃ Scaling potential limits as LSI or SDSI

- Without scale inhibitor <-0.2
- LSI (SDSI) with SHMP < +0.5
- LSI (SDSI) with special inhibitor¹ < +1.5
- SDSI with any inhibitor <+0.5
- 1. Special inhibitor means one of approved organic inhibitors. It should be approved from real plant for more than three years.



Woongjin Chemical Co., Ltd.

For more information about CSM membranes; 12th Floor ASPO Bd., 254-8 Kongduk-Dong, Mapo-Gu, SEOUL 121-710, KOREA TEL +82-2-3279-7514, +82-2-3279-7367 FAX +82-2-3279-7088 Email <u>csm@wjchemical.co.kr</u> Website <u>http://www.csmfilter.com</u>